



# RHINO™ Industrial Labeling Full-line Catalog



**RHINO™ 6000+**

# Leave any job looking better than you found it.

DYMO® industrial labelers and authentic labels are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity – and help you save time and money.

Explore the RHINO™ Range!

# Complete your work with pride and professionalism.

No matter the industry you work in, DYMO® Industrial products give your work a clean, professional look that enhances your reputation. Our label printers and labels make it easier than ever to get results that meet industry standards – as well as yours. All our products stand up to the toughest conditions your industry can dish out.



## The RHINO™ product line-up:



RHINO™ M1011

RHINO™ 4200

RHINO™ 5200

RHINO™ 6000+

### RHINO™ Industrial Labels are reliable, tough & jobsite-tested labels for industrial applications.

Thermal transfer printing means labels won't smudge, smear or fade. Choose up to a 24 mm label width in a broad assortment of materials and colors, that meet OSHA, ANSI, ISO standards, Reach, RoHS standards.

All DYMO® industrial labels are packaged in easy-to-load cassettes, made from 100% recycled materials, with a split-back design, making peeling, applying quick and easy.

All DYMO® IND Labels are made in Belgium, Europe.



DYMO® Industrial Labels

### DYMO® Industrial Labels are available in:

- Flexible Nylon
- Permanent Polyester
- Indoor/Outdoor Vinyl
- Heat-Shrink Tube
- Self-Laminating
- Stainless Steel\*
- Aluminium\*

## Find the right label for the right application



**Vinyl**  
 (Aa) (Aa) (Aa) (Aa) (Aa) (Aa) Temperature rating: -40°C to 80°C

9 mm x 5.5m | 12 mm x 5.5m | 19 mm x 5.5m | 24 mm x 5.5m

**Permanent Polyester**  
 (Aa) (Aa) (Aa) Temperature rating: -40°C to 150°C

6 mm x 5.5m | 9 mm x 5.5m | 12 mm x 5.5m | 19 mm x 5.5m | 24 mm x 5.5m

**Flexible Nylon**  
 (Aa) (Aa) Temperature rating: -40°C to 60°C

12 mm x 3.5m | 19 mm x 3.5m | 24 mm x 3.5m

**Heat-Shrink Tube**  
 (Aa) (Aa) Temperature rating: Up to 125°C

6 mm x 1.5m | 9 mm x 1.5m | 12 mm x 1.5m | 19 mm x 1.5m | 24 mm x 1.5m



100% recycled material used for external cassette



DYMO® high quality labels are made in Belgium



Reach compliant



RoHS compliant



IND

120 Volts



IND

## RHINO™ 4200 All-Purpose Labelling Tool



Tapes

Rechargeable

### The compact, easy to use, time-saving labelling tool for on-the-go pros

- Familiar computer-style QWERTY/QWERTZ/AZERTY keyboard for fast and easy text entry
- Patented “Hot Keys” provide shortcuts for creating and formatting wire/cable wraps, flags, Code 39 and Code 128 bar codes, fixed length, general and module labels
- Print 6 mm, 9mm, 12 mm and 19 mm wide industrial-strength labels in a variety of materials and colours - PLUS print directly on heat-shrink tubes
- Pre-programmed library with 150 symbols and terms for security, electrical, for A/V and facility management
- Large back-it display is easy to read
- Runs on 6 AA batteries (not included) – also compatible with quick-charging lithium-Ion battery (acid as an accessory)

6 mm

9 mm

12 mm

19 mm

## RHINO™ 5200 Go for the portable and affordable label printer that builds your reputation

### The label printer for industrial application

Exclusive, one-touch “Hot-Keys” automatically size, space and format label text



Tapes

Rechargeable



- Meets all ANSI, TIA/EIA-606-A industry labeling standards
- DYMO® exclusive “hot keys” automatically size, space and format labels for wires and cables, terminal blocks, patch panels, vertical and fixed-length applications
- Pre-programmed symbol library puts industry symbols, punctuation, currency and fractions at your fingertips
- Large two-line-display – backlit for poorly lit locations
- Prints Code 39 and Code 128 barcodes on 19 mm labels
- Runs on 6 AA batteries (not included) – or an optional quick-charging lithium-Ion battery

6 mm

9 mm

12 mm

19 mm

## RHINO™ 6000+ PC-connected or portable labeling tool that saves you time and money



DYMO® ID SOFTWARE



Tapes

Rechargeable

### Feature-packed industrial labeler with PC connection

- Create labels including barcodes and complex label layouts from DYMO® ID™ software\* on PC and print with RHINO™ 6000+ for easy editing
- Meets key ANSI and TIA/EIA-606-B industry labeling standards Exclusive, one-touch “Hot Keys” automatically size, space and format label text
- Print 8 barcode types including Code 39, Code 128, Codabar, UPC A/E, EAN 8/13, PDF 417, code 39 mod 43 variant and QR code
- On screen label preview of downloaded labels with the zoom feature Last-label memory and storage for up to 200 of the labels you use most
- Robust auto-cutter cuts

6 mm

9 mm

12 mm

19 mm

24 mm

## RHINO™ M1011 Robust Embosser

### Robust embosser ready to take on any heavy-duty labelling job

With the M1011 emboss on stainless steel and aluminium labels, ideal label for any labelling challenge in the factory or in the outdoors.



Tapes

- Embosses 12 mm wide metal or aluminium labels
- Easy to use label cutting handle, even on stainless steel
- Label cutting with rounded edges for your safety
- Reverse image wheel to print mirror script labels



12 mm



IND

120 Volts



IND



# RHINO™ 6000+



DYMO® ID SOFTWARE



DYMO® ID SOFTWARE

Get added labeling ease with DYMO® ID software. Only DYMO® ID software provides the same great life-like on screen print previews, built-in label applications and pre-loaded templates found on your XTL™ label maker and RHINO™ 6000+, whilst adding in features to help further simplify high-volume labeling tasks.

Available as a FREE download from [dymo.com](http://dymo.com)

Introducing the RHINO™ 6000+ - the latest in the range of top-quality labelling tools from RHINO™ - with PC Connectivity via DYMO® ID Software!


Our research tells us that the most important thing for an installer from a labelling tool is that it should be “easy to use”; the RHINO™ 6000+ has been designed with special features to make it just that: label cassettes can be loaded and unloaded with no hesitation; the generously sized LCD allows you to edit and preview multiple labels and

the RHINO™ “hot-key” technology provides shortcuts to your most common applications. Of course, the RHINO™ 6000+ also prints on the RHINO™ range of industrial-strength labels, which are built to withstand all kinds of harsh treatments including solvents, UV, moisture, harsh temperatures as well as being almost totally smudge-proof.

Delivering the highest level of performance at high-end installations, the RHINO™ 6000+ is built to remain your labelling tool of choice for a long, long time.

## BUILT-IN LABEL APPLICATIONS

simply select an application from the Home screen to get started quickly



### Intuitive Graphical Interface

Create, edit and preview multiple labels on our largest backlit LCD

### One-Touch, Power-Assisted Cutter

Eliminate the fatigue of manual cutting and increase efficiency

### Hot Keys

Eliminate guesswork and complicated menus; enjoy fast and easy formatting of commonly used label types

### Label Memory

Create and customize over 1000 labels with logos and symbols and save them for instant recall



### Auto-cutter

Convenient and simple

### Quick-Charge Li-Ion Rechargeable Battery

With on-screen battery life indicator


### Symbols

Over 100 pre-programmed industry symbols

### Integrated Impact Bumper

Protects your tool against the daily knocks on site

Instant access to hundreds of time-saving pre-loaded templates for patch panels, asset tracking, materials management, and safety signage



Life-like on screen print preview shows exactly how labels will look when applied to cables, pipes and more

## Authentic DYMO® products for sustainable labeling solutions!



**DYMO® is committed into maximizing your efficiency, whilst investing into protecting the environment – one label at a time.**

DYMO® has a dedicated team looking into government- and country specific requirements on product compliances, safety and sustainability. We are actively involved in going above and beyond in protecting our environment.

### DYMO® invest for a sustainable future:



**FSC® certified\*\***  
DYMO® LabelWriter™ paper and  
DYMO® LetraTag® paper labels.



**100% recycled material** used  
for external cassette.



**BPA free**  
LabelWriter™ labels.



**No Ink – No Toner = Less Waste.**



**27% lower energy consumption\***,  
during production since 2016.



**Rechargeable batteries** for  
majority of DYMO® machines.



**+40% of DYMO® labels are  
produced\* using "Water based  
solvents"**.



**73% reduced** use of fresh water  
during production\* between  
2009 – 2019.



**ISO 9001 & ISO 14001 certified  
since 1998** to monitor quality  
management and impact of  
operations on the environment.



All DYMO® product are  
**REACH and RoHS compliant.**

\*St. Niklas Plant, Belgium, Europe.

©2021 Sanford, L.P. WWW.DYMO.COM